

GENERAL AND REVENUE SECRETARIAT.

*Connection to
May file No 8 of
1900*

1900-01
(Muzrai)

File No. ~~112~~ 8

Sec.

Sec

Section
III

Serial Nos. 1-10

Papers Filed.

Month _____

*File relating to the repairs of the Sri Veerabhadra
and Mallikarjuna Swami Temples on the
Ukklaire Hills at Potali in S. Nallipura*

PREVIOUS REFERENCES.

LATER REFERENCES.

2000 8 7 2000

MUZRAI DEPARTMENT.

OFFICE NOTE.

SUBJECT:— Repairs to —
the Mallikarjuna Swami
temple on the Ukkalagere
Hill, 7. Narasipura Taluk.

LAST REFERENCE.

~~Letter~~ ^{Docket} No. 165 dated 17th Nov. '00
from the Dy Commr.,
Mysore District.

The repair of the Temples
of Konna Devi, Keerabhadra
Swami and Mallikarjuna
Swami, was one of the
subjects brought up
at the D. R. A. Pro: of
Oct.: 1900. Of these
three temples, the repair
of the Konna Devi Temple
has been sanctioned in
Pro: No. 523-4 of 9th Nov. 1900
at a cost of Rs 684.

The second temple of
 Veerabhadraswami has
 no funds of its own
 to meet the cost of
 the repairs which as
 per Estimate submitted
 by the Dy Commr. in his
 letter no 169 ^{dated 19th April 1901} amount
 to Rs 567. As this temple
 is connected with the
 Kounda Devi temple the cost of the
 repairs, if sanctioned,
 will have to be met
 from the funds of the latter

As regards the repairs
 to the third temple on
 the Nk Kalagere Hill
 — the Mallikarjunaswami —

the

Dr Commr. was requested to report the savings at its credit and if this was not sufficient to meet the cost of the repairs, whether the devotees were prepared to contribute a moiety thereof.

The subject of repairing the two temples named above again came up at the D.P.A. Proceedings of Octr 1901 & the Dr Commr. who was written to in the matter now reports that the devotees of the Mallikarjunaaswami are not in a position

to contribute ⁴ ~~anything~~
towards the cost of repairs.

The savings at its credit—
is reported to be Rs 449-5-6
in addition to Rs 6300 held
in Govt Securities.

i) Repairs to Virabhadraswami
temple - estimated cost - Rs 567-

has no funds of its own
but is connected with
Koma Devi which has
savings to meet the cost.

ii) Mallikarjunaswami
temple - estimated cost - Rs 1664-
has savings of Rs 449-5-6.

subd for orders

1. Homnades Temple at - Sosale
 2. ~~Ummabesha~~ ^{Sosale} Venakadraswami Temple at
 3. ^{Sosale} Madai-Kurpucabwami Temple at
- Ukkabjenc

No 762
 27 15 January 1901.
 SK 1

The Dy. Mysore Dk

It having been brought
 to the notice of Govt.
 that the marginally
 noted houses in

Temples in T. ~~Narasimha~~

Narasimha ^{have} ~~are~~
 fallen into
~~disrepair~~


~~Condition~~, the

undersigned has
 the honor to request
 that regular estimate

for the repairs ^{urgently}
 needed to the ^{at} temples.

may be prepared
 & send for the orders
 of Govt.

[Signature]
 18.11



0169/2

By Commissioner's office
Mysore District

Dated Camp Circle, 17th April 1901
19th

From

The Deputy Commissioner
Mysore District
Mysore.

To,

The Secretary, to the Government
of Mysore
Muzrai Department,
Bangalore

Sir,

With reference to your docket No. 76:
dated the 15th January last, I have the honor
to report that an estimate for Rupees 684/- for the
necessary repairs to the Sri Honna Devi temple at
Sasale has been sanctioned in Government Order

Muz 78 of 1900 No. 523-4 dated the 9th November 1900, and that the
work is progressing.

An estimate for Rs. 567-00, received from the
Amildar (previous to the receipt of the docket and
reply) for the repairs needed to the Sri Veerabhadra
temple at Sasale is herewith submitted.
There is only a sum of Rupees 68-8-0 available
at the credit of the temple, and the Amildar
reports that no contributions can be expected
from the devotees.

An estimate for Rupees 1664-00 for the
needed repairs to the Sri Mallikarjuna temple
on the Ukkalgere Hill, received from
the Amildar, is herewith submitted, together in
the file of Vernacular & Co. is ruling with the Amildar
report No. 95 dated the 20th February 1901.

I have the honor to be
Sir

Your most obedient servant
1717/24/11/27/1
for Commissioner's office

1717/24/11/27/1

L. F. 562. Estimate of the Probable Cost of repairing the Temple of
Veeraabhadra Swamy at Sosley - Narasipet Taluk.

Detail of works.	No.	Dimensions.		Contents.	Total.
old — rear wall	1	75	1 1/2	12	1350
front Pical	1	41	2 1/2	2 1/2	256
do	1	55	2 1/2	2 1/2	344
walls at cracks.	4	5	2 1/4	10	450
Total cubic feet				2400	2400 cft
work foundation. rear wall.	1	73	2	3	438
front Pical	1	45	2	2	180
do	1	60	2	2	240
Total cu yds.				858	32 cu yds.
vent bricks in clay rear wall	1	73	1 1/2	10	1095
cracks	4	5	2 1/4	10	450
Total cubic feet				1545	1545 cft
do in mortar filling foundation					
rear wall	1	73	2	3	438
front Pical	1	45	2	2	180
do	1	60	2	2	240
Superstructure. front Pical	1	45	1 1/2	2 1/2	169
do	1	60	1 1/2	2 1/2	175
Total cubic feet				1202	1202 cft
plastering - rear wall	1x2	73	"	10	1460
do - cracks	4x2	5	"	10	400
front Pical	1	45	"	2 1/2	113
do -	1	60	"	2 1/2	150
Total Sq				2123	2123 Sq
crete to front Pical -	1	41	2 1/2 (3")	102	
	1	50	2 1/2 (3")	150	
Total Sq				252	252 sq
vent Stone Slabs 6" thick steps.	2	6	2 (6")	24	
Total S				-	24 sft
ring the Points of Gopurana					
Large	20				2 no
Small	20				10 no
ornice to rear wall -					100

P. J. O

Abstract. of the

Item.	Per.	Rate.	Quantity.	Amount.
dismantling the old.	cft	" "	3 2400	38 —
Earthwork foundation	cft	" 2	32	4 —
Burnt Brick in clay-	cft	" 19	1545	169 —
do in mortar	cft	" 26	1202	188 —
Plastering	Sqr.	2 8	21.23	52 —
Concrete	Sqr.	6	2.52	15 —
Burnt Stone slabs	Sqft	" 6	24	9 —
Points to Gopuram Large	each	5	2	10 —
do Small	do	3	10	30 —
Cornice to	Sqft	" 4	100	25 —
Total amount				540 —
Contingent at 5% -				27 —
Grand Total amount -				567 —

Amount Rupees in words - Five hundred and sixty seven only

G. Sampath Kumar
Work Inspect

[Signature]
A. Wildan

It is hereby declared that the above bill is correct and true and that the
amount of Rs. 567 is the correct amount payable to the contractor for the
work done and that the contractor has no claim for any other amount.
18.5.1991

L. F. 56B.)

L. F. 56B.)

Estimate of the Probable Cost of

of Repairing The Mallikarjun
Mallikarjun

Tharapur Taluk

Detail of works	No	Dimensions	Contents	Total
work Brick in mortar - -				
Parapet wall over Cook room	1	110 $\frac{3}{4}$ 1	82	
Compound wall	1	65 $\frac{1}{2}$ 6	585	
Parapet wall to small cook room	1	92 $\frac{3}{4}$ 1	69	
Front Compound wall	1	40 $\frac{1}{2}$ 8	480	
Basavanagudy Compound wall	1	116 $\frac{1}{2}$ 1	174	
		Total cubic ft	1390 cft	
Plastering with chunam plaster -				
over concrete of the Cook room	1	44 20 -	880	
do - do -	1	30 16 -	480	
Basavanagudy Compound wall	2	116 9 -	2088	
Petty repairs -	Lump		800	
		Total sq ft	42.48 sq ft	
all wood doors & shutter & Compound				
Front Gate	1	3 - 6	18	
Store room	1	3 $\frac{3}{4}$ - 6	22 $\frac{1}{2}$	
Front Entrance	1	4 - 6	24	
Cook room	1	4 - 6	24	
do -	2	2 $\frac{1}{2}$ - 4	20	
		Total sq ft	108 $\frac{1}{2}$ sq ft	
Painting with washable				
Cook room wall inside	1	110 - 8	880	
outside	1	125 - 8	1000	
		Total sq ft	1883 sq ft	
Petty repairs Brick and broken & concrete	Lump		10.9	

Abstract

Items	Per	Rate	Quantity	Amount
Burnt Brick in mortar	cft	0-8-	1390	695/10
Plastering with chunam two coats	sqr	7-8-	4248	298/10
Deak wood Battened doors complete	sft	3-w	108 1/2	326/10
Pointing with mortar	sqr	4-8-	18.8	85/10
Concrete Petty repairs	sqr	18-w	10	180/10
		Total		1584/10
		Contingent		80/10
		Total		1664/10

N.B. This is a work to be carried out on the hilly part where there is no water even. All materials Brick, sand, water, chunam etc to be carried up the hill. Therefore in order to facilitate the work the exact local rates are mentioned -

C.S. Sr. up all camp
work Inspector

Amilkar

MUZRAI

~~189~~ 1901 SL 3

From

To
The Deputy Commr.
Mysore District -

Dated 24th April 1901 -

Despatched

Received

General No. 1092
Muzrai J^r. No. 8-1900
Enclosure No.

His letter n^o 169, dated 17th April 1901, submitting Estimates for the repairs of the Sri Veera-bhadraswami temple at Sosalé and the Sri Mallikarjunaswami temple on the Ukkalagere Hill.

Adverting to the last para of the letter cited above, has the honor to observe that the file of Vernacular papers reported to have been subd for refce has not been received in this Office, the only enclosures received under cover of the letter being the two Estimates for the repairs of the Sri

Kerabhadraswami temple
at Soralé and of the Sri
Ma Lli'Karjinaswami temple
on the Ukkappa lagere Hill

2. As regards the repairs
of the Sri Ma Lli'Karjinaswami
temple, the Dy Commr is requested
to report what savings the
temple has at its credit,
and in case this be not
sufficient to meet the cost
of the repairs now estimated
for, whether the devotees are
prepared to contribute a
moiety of the such cost.

By order,

23/4/01

Dy Secretary

AMF

No 78.00 of 26.9.02

OFFICE OF THE DEWAN OF MYSORE,

Bangalore,

Sl 189

OFFICIAL MEMORANDUM.

SUBJECT No.

274 Repairs to Temples of
Mallikarjuneswami
& Varabhadreswami
at Sasale &c


THE attention of Mr D. C. Conner
Mysore Sl- is drawn
to Subject No. 274 of the Dasara Repre-
sentative Assembly Proceedings of Oct 1901
and he is requested to expedite the
submission of the report
called for in this Office
Docket no 1092 dated
24th April 1901

By Order,

Sl-

Muzrai Secretary.

RS



Recd

19/11/02

Refers

hs
19/11/02

It is not known whether the repairs sanctioned to the ~~Haradharaswami~~ ^{Haradharaswami} Temple in 1900 have been carried out or not. The Dy

Commr may be written

to on the subject

hs
22/11/02

1902 LS-
189

From H. Ramamangiam Esq.
Officiating Deputy Commr
Mysore District

To L. Anantashani Esq.
B.A.
Deputy Secretary to the Govern-
ment of Mysore, Mysore

Dated 17th November Department

Despatched

Received

Enclosures No. 1/16

General No. 105
No.

Deputy Secretary's No 1092 of the 24th April 1901 and No 600 dated 26th September 1902 requesting to be informed if the devotees of the Mallikarjuna Swami temple on the Ukhalagere Hill are prepared to contribute a moiety of the cost of repairs proposed to be executed.


Has the honor to report that the devotees of ^{Sri} Mallikarjuna Swami are not in a position to contribute anything towards the work of repairs.

The ...

subject - No 31 of the 6th October 1902 - is herewith
forwarded.

The savings at the credit of the institution under
head fund is Rupees 449-5-6, in addition to Rupees 6300 of
held in Government Securities.

The file of Kinnada papers ending with the Amildar's
No 30 of the 6th October 1902 is also submitted for reference.


For Offg. Deputy Commissioner
Mysore District
Mysore.

MUZRAI

1902-1903. Sl 6

From

DEPUTY SECRETARY,
GOVERNMENT OF MYSORE,
MUZRAI DEPARTMENT.

To

The Dy Commr
Mysore Dist.

Dated

Despatched 26 November '02

Received

General No. 1191
Muzrai F. No. 8-00

Enclosure No.

His Docket No 105
dated 17th November
1902 reporting that
the devotees of the
Mallikarjunaswami
temple on the Ulkala
-gere Hill are not in
a position to contri-
-bute towards its
repairs.

(")

Has the honor to
request to be informed

When the repairs sanctioned
in Govt Bo; No 523-4
dated 9th November 1900
for the Honma Devi
temple at Loxale,
I Narasimhaiah,

have been carried out, and if so, to submit
the Enclosures as per ref^d 20006.

By order

a competent bill


at an early date

H/1.

24/11/01

By Secretary
Muzrai Septh

H/1



190 7-08 SLR

From
Mr. Hanurajulu Esq., B.A.
Dy. Commissioner,
Mysore District.

To
L. Anantasaanni Rao Esq., B.A.
Secy. to the Govt. of H. H. the Maha-
raja of Mysore, Gen. & Rev. Dept.

Dated 13th May 08

Despatched

Received

General No. 475
No.

Enclosure No. 1 & 2 files

Subject.

Submits report on
the petition of Inada
Sethi of Sorale.

Refer please
ana
15/5/08
W
- 21/5/08

No. 475
Enc. No. 1 & 2 files

OFFICE OF THE Deputy Commissioner

MYSORE DISTRICT,

Dated Mysore 13th May 1908.
Camp

To
L. Anantarami Rao
Esq., B.A.

SECRETARY TO THE GOVERNMENT

OF HIS HIGHNESS THE MAHARAJA OF MYSORE,

~~Mysore~~
~~GENERAL AND REVENUE DEPARTMENTS.~~

SIR,


In reply to your official memorandum No. 3612 dated 22nd January, 1907 forwarding for report petition (herewith re-transmitted) from Ganigar Guada Sethi of Soale, J. Narsipur Taluk, regarding the repairs of the Sri Mallikarjuna Swami temple at Ukkalagere in the J. Narsipur Taluk, I have the honor to invite kind attention to correspondence ending with this office letter No. 105 dated 17.11.1902. (Copy enclosed for ready reference) and to state that the petitioner is reported to have executed work to the extent of Rs 748-5-7 to the Sri Mallikarjuna Swami temple at Ukkalagere as detailed in the accompanying statement

ment dated the 9th June 1907.

It is this amount which the petitioner who is a devotee of the Mahakarjuna Swami requests to be paid.

The Sub Division officer's reports on the subject are herewith submitted for reference.

I have the honor to be,
Sir,
your most obedient
servant



Deputy Commissioner
Mysore District

H. A.

From

The Deputy Commissioner
Mysore District

To

The Deputy Secretary
Mysore Government
114

Dated

17. 11. 02

Despatched

Received

General No.

105

No.

Enclosure No. 1 file

Deputy Secretary's No:
1092 of the 24th April
1901 and No: 600 dated
26th September 1902
requesting to be ~~infor~~
informed if the devotees
of the Mallikarjuna
Swami temple on the
Ukkalagere Hill are
prepared to contribute
a moiety of the cost
of repairs proposed to be
executed.

Has the honor to report
that the devotees of
Sri Mallikarjuna
Swami are not in
a position to contri-
bute anything towards
the cost of repairs.

The Amildar's

Ethide

Letter on the subject no 31 of 6th October is herewith submitted for perusal.

The savings at the credit of the Endowment under Hooda head fund is Rs 449-5-6 in addition to Rs 6300 held in Government Securities.

The file of Kannada papers ending with the amildar's no. 30 of 6th October 1902 is also submitted for reference.

(Sd) C. B. Seohajiri Rao

For Deputy Commissioner
Mysore District

"Copy"

Deputy Commissioner
Mysore District

HA.

Muz. 1]

190

Sl 9

From

27th

To The Deputy Commissioner
Mysore District.

Dated

Despatched 30.5.08

Received

General No. 5394.

No. 8-1900

Enclosure No.

His Letter No. 4752, 12th
May 1908 reporting on the
petition of Mada Setti
of Gossale re the repairs of the
Sri Mallikarjuna Swami
temple at Ukkalagere in the
T. Narasipura Taluk.

With reference to the above,
has the honor to state
that payment has been made
for the repairs executed to the

Hanua Devi Temple at
Sasale ⁴⁴⁻ ~~which~~ will be observed
for the Govt Pro. no 1771-2 D
5th March 1903. - In the
records of this Office, it is
not understood whether
any repairs to the Sri Malli
Kanyana Swami Temple on
the Hill at Ukhalagere
were sanctioned by Govt.
The Deputy Commr is requested
to quote the authority
sanctioning the Estimate
and ~~if~~ to submit a
Measurement Bill therefor.

The enclosures are herewith
returned for refce & resubn.

P.S.D.
29/3/08
Secretary.
H. 20/5/08

Muz. 5]

GOVT. OF H. H. THE MAHARAJA
OF MYSORE.

MUZRAI DEPARTMENT.

Sl/10

190

From

The Secretary to the Government
of H. H. the Maharaja of Mysore.

To

The Dy. Commissioner,
Mysore Dt.

Dated

Despatched 17th July 1908.

Received

Enclosures No.

General No. 280.
M. No.

This Office No. 5394 dated 30th

May 1908 requesting the
submission of a measurement
bill for the repairs done to the
Sri. Mallikarjunaswami Temple
and subsequent reminder marginally noted
at UKkalagere in the T. Nar-
sipura Taluk

Has the honor to draw attention to
the above and to request an early reply
thereto,

By Order,

(11/1) 188
17/7/08
Secretary,
Muzrai Department.